


AMENDMENTS TO THE CLAIMS:

1. (previously amended) A combination comprising a cyclooxygenase-2 selective inhibitor and a selective leukotriene B₄ receptor antagonist.

2. (previously amended) A combination comprising a selective leukotriene B₄ receptor antagonist and a cyclooxygenase-2 selective inhibitor selected from Taisho NS-398 (Methanesulfonamide, N-[2-(cyclohexyloxy)-4-nitrophenyl]), meloxicam (2H-1,2-Benzothiazine-3-carboxamide, 4-hydroxy-2-methyl-N-(5-methyl-2-thiazolyl)-, 1,1-dioxide), flosulide (Methanesulfonamide, [6-(2,4-difluorophenoxy)-2,3-dihydro-1-oxo-1H-inden-5-yl]), Merck MK-966 (2(5H)-Furanone, 4-[4-(methylsulfonyl)phenyl]-3-phenyl), Merck L-752,860 ~~and~~ compounds of Formula I



wherein A is a substituent selected from partially unsaturated or unsaturated heterocyclyl and partially unsaturated or unsaturated carbocyclic rings;

wherein R¹ is independently selected from the group consisting of heterocyclyl, cycloalkyl, cycloalkenyl and aryl, wherein R¹ is optionally substituted at a substitutable position with one or more radicals selected from alkyl, haloalkyl, cyano, carboxyl, alkoxycarbonyl, hydroxyl, hydroxyalkyl, haloalkoxy, amino, alkylamino, arylamino, nitro, alkoxyalkyl, alkylsulfinyl, halo, alkoxy and alkylthio;

wherein R² is methyl or amino; and

wherein R³ is a radical selected from hydrido, halo, alkyl, alkenyl, alkynyl, oxo, cyano, carboxyl, cyanoalkyl, heterocyclyloxy, alkyloxy, alkylthio, alkylcarbonyl, cycloalkyl, aryl, haloalkyl, heterocyclyl, cycloalkenyl, aralkyl, heterocyclylalkyl, acyl, alkylthioalkyl, hydroxyalkyl, alkoxycarbonyl, arylcarbonyl, aralkylcarbonyl, aralkenyl, alkoxyalkyl, arylthioalkyl, aryloxyalkyl, aralkylthioalkyl, aralkoxyalkyl, alkoxyaralkoxyalkyl,

alkoxycarbonylalkyl, aminocarbonyl, aminocarbonylalkyl, alkylaminocarbonyl, N-arylaminocarbonyl, N-alkyl-N-arylaminocarbonyl, alkylaminocarbonylalkyl, carboxyalkyl, alkylamino, N-arylamino, N-aralkylamino, N-alkyl-N-aralkylamino, N-alkyl-N-arylamino, aminoalkyl, alkylaminoalkyl, N-arylaminoalkyl, N-aralkylaminoalkyl, N-alkyl-N-aralkylaminoalkyl, N-alkyl-N-arylaminoalkyl, aryloxy, aralkoxy, arylthio, aralkylthio, alkylsulfinyl, alkylsulfonyl, aminosulfonyl, alkylaminosulfonyl, N-arylaminosulfonyl, arylsulfonyl, N-alkyl-N-arylaminosulfonyl ~~+~~ — and ~~a~~ pharmaceutically-acceptable salts of Formula I ~~salt thereof~~.

3. (currently amended) The combination of Claim 2 wherein the selective leukotriene B₄ receptor antagonist is selected from Bayer Bay-x-1005 ~~((R)-a-~~ ((R)-α- Cyclopentyl-4-(2-quinolinylmethoxy) benzene acetic acid), Ciba-Geigy CGS-25019C (Benzamide, 4-[[[5-[4-(aminoiminomethyl)phenoxy]pentyl]oxy]-3-methoxy-N,N-bis(1-methylethyl)-, (2Z)-2-butenedioate), ebselen (1,2-Benzisoselenazol-3(2H)-one, 2-phenyl), Leo Denmark ETH-615 (Benzoic acid, 4-[[[(3-fluorophenyl)methyl][4-(2-quinolinylmethoxy)phenyl]amino]methyl]), Lilly LY-293111 (Benzoic acid, 2-[3-[3-[(5-ethyl-4'-fluoro-2-hydroxy[1,1'-biphenyl]-4-yl)oxy]propoxy]-2-propylphenoxy]), Ono ONO-4057 (Benzenepropanoic acid, 2-(4-carboxybutoxy)-6-[[[(5E)-6-(4-methoxyphenyl)-5-hexenyl]oxy]), Terumo TMK-688 (Carbonic acid, 4-[5-[[2-[4-(diphenylmethoxy)-1-piperidinyl]ethyl]amino]-5-oxo-1,3-pentadienyl]-2-methoxyphenyl ethyl ester), Boehringer Ingelheim BI-RM-270 (2-Benzoxazoline, N-[(1S)-2-cyclohexyl-1-(2-pyridinyl)ethyl]-5-methyl), Lilly LY 213024 (Benzenepropanoic acid, 5-(3-carboxybenzoyl)-2-(decyloxy)), Lilly LY 264086 (9H-Xanthene-4-propanoic acid, 7-carboxy-3-(decyloxy)-9-oxo), Lilly LY 292728, Ono ONO LB457 (Benzenepropanoic acid, 2-(4-carboxybutoxy)-6-[[[(5E)-6-(4-methoxyphenyl)-5-hexenyl]oxy]), Pfizer 105696, Perdue Frederick PF 10042 (Pyrrolidine, 1-[5-hydroxy-5-[8-(1-hydroxy-2-phenylethyl)-2-dibenzofuranyl]-1-oxopentyl]), Rhone-Poulenc Rorer RP 66153 (2-Thiopheneheptanoic acid, α,α-dimethyl-3-(3-phenylpropyl)), SmithKline Beecham SB-201146 (2-Propenoic acid, 3-[6-[[[(3-aminophenyl)sulfinyl]methyl]-3-[[8-(4-methoxyphenyl)octyl]oxy]-2-

pyridinyl]-, (2E)), SmithKline Beecham SB-201993 (Benzoic acid, 3-[[[6-[(1E)-2-carboxyethenyl]-5-[[8-(4-methoxyphenyl)octyl]oxy]-2-pyridinyl]methyl]thio]methyl]), Searle SC-53228 (2H-1-Benzopyran-2-propanoic acid, 7-[3-[2-(cyclopropylmethyl)-3-methoxy-4-[(methylamino)carbonyl]phenoxy]propoxy]-3,4-dihydro-8-propyl-, (2S)), Sumitamo SM 15178 (β -Alanine, N-[[6-[(4-acetyl-2-ethyl-5-hydroxyphenoxy)methyl]-2-pyridinyl]carbonyl]-N-ethyl), American Home Products WAY 121006 ([1,1'-Biphenyl]-4-acetic acid, 2-fluoro-4'-(2-quinolinylmethoxy)), Bayer Bay-o-8276, calcitriol (9,10-Secocholesta-5,7,10(19)-triene-1,3,25-triol, (1 α ,3 β ,5Z,7E)), Warner-Lambert CI-987 (2,4-Thiazolidinedione,5-[[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]methylene]), Merck and Co. L-651392 (3H-Phenothiazin-3-one, 4-bromo-2,7-dimethoxy), Lilly LY 210073, Lilly LY 223982 (Benzenepropanoic acid, 5-(3-carboxybenzoyl)-2-[[5E)-6-(4-methoxyphenyl)-5-hexenyl]oxy]), Lilly LY-233569 (2-Propenamide, -hydroxy-N-methyl-3-[2-(methylthio)phenyl]), Lilly LY-255283 (Ethanone, 1-[5-ethyl-2-hydroxy-4-[[6-methyl-6-(1H-tetrazol-5-yl)heptyl]oxy]phenyl]), Merck and Co. MK-591 (1H-Indole-2-propanoic acid, 1-[(4-chlorophenyl)methyl]-3-[(1,1-dimethylethyl)thio]-a,a-dimethyl-5-(2-quinolinylmethoxy)-, sodium salt), Merck and Co. MK-886 (1H-indole-2-propanoic acid, 1-[(4-chlorophenyl)methyl]-3-[(1,1-dimethylethyl)thio]-a,a-dimethyl-5-(1-methylethyl)), Ono ONO-LB-448, Purdue Frederick PF-5901 (Benzenemethanol, a-pentyl-3-(2-quinolinylmethoxy)), Rhone-Poulenc Rorer RG 14893 (2-Naphthalenecarboxylic acid, 4-[2-[methyl(2-phenylethyl)amino]-2-oxoethyl]-8-(phenylmethoxy)), Rhone-Poulenc Rorer RP 66364, Rhone-Poulenc Rorer RP 69698 (Pyridine, 2-[[5-methyl-5-(1H-tetrazol-5-yl)hexyl]oxy]-4,6-diphenyl), Searle SC-41930 (2H-1-Benzopyran-2-carboxylic acid, 7-[3-(4-acetyl-3-methoxy-2-propylphenoxy)propoxy]-3,4-dihydro-8-propyl), Searle SC-50505, Searle SC-51146, SmithKline Beecham SK&F-104493 (5H-Pyrrolo[1,2-a]imidazole, 6,7-dihydro-2-(4-methoxyphenyl)-3-(4-pyridinyl)), and Teijin TEI-1338 (Benzoic acid, 2-[[4-[2-[2-(2-naphthalenyl)ethenyl]cyclopropyl]-1-oxobutyl]amino]-, methyl ester, [1R-[1 α ,2 β (E)]]).

4. (previously amended) The combination of Claim 3 wherein the selective leukotriene B₄ receptor antagonist is selected from Bayer Bay-x-1005 ~~((R)-α-~~ ((R)-α- Cyclopentyl-4-(2-quinolinylmethoxy)benzeneacetic acid), Ciba-Geigy CGS-25019C (Benzamide, 4-[[5-[4-(aminoiminomethyl)phenoxy]pentyl]oxy]-3-methoxy-N,N-bis(1-methylethyl)-, (2Z)-2-butenedioate), ebselen (1,2-Benzisoselenazol-3(2H)-one, 2-phenyl), Leo Denmark ETH-615 (Benzoic acid, 4-[[[(3-fluorophenyl)methyl][4-(2-quinolinylmethoxy)phenyl]amino]methyl]), Lilly LY-293111 (Benzoic acid, 2-[3-[3-[(5-ethyl-4'-fluoro-2-hydroxy[1,1'-biphenyl]-4-yl)oxy]propoxy]-2-propylphenoxy]), Ono ONO-4057 (Benzenepropanoic acid, 2-(4-carboxybutoxy)-6-[[[(5E)-6-(4-methoxyphenyl)-5-hexenyl]oxy]), Terumo TMK-688 (Carbonic acid, 4-[5-[[2-[4-(diphenylmethoxy)-1-piperidinyl]ethyl]amino]-5-oxo-1,3-pentadienyl]-2-methoxyphenyl ethyl ester), Boehringer Ingleheim BI-RM-270 (2-Benzoxazoline, N-[(1S)-2-cyclohexyl-1-(2-pyridinyl)ethyl]-5-methyl), Lilly LY 213024 (Benzenepropanoic acid, 5-(3-carboxybenzoyl)-2-(decyloxy)), Lilly LY 264086 (9H-Xanthene-4-propanoic acid, 7-carboxy-3-(decyloxy)-9-oxo), Lilly LY 292728, Ono ONO LB457 (Benzenepropanoic acid, 2-(4-carboxybutoxy)-6-[[[(5E)-6-(4-methoxyphenyl)-5-hexenyl]oxy]), Pfizer 105696, Perdue Frederick PF 10042 (Pyrrolidine, 1-[5-hydroxy-5-[8-(1-hydroxy-2-phenylethyl)-2-dibenzofuranyl]-1-oxopentyl]), Rhone-Poulenc Rorer RP 66153 (2-Thiopheneheptanoic acid, α,α-dimethyl-3-(3-phenylpropyl)), SmithKline Beecham SB-201146 (2-Propenoic acid, 3-[6-[[[(3-aminophenyl)sulfinyl]methyl]-3-[[8-(4-methoxyphenyl)octyl]oxy]-2-pyridinyl]-, (2E)), SmithKline Beecham SB-201993 (Benzoic acid, 3-[[[6-[(1E)-2-carboxyethenyl]-5-[[8-(4-methoxyphenyl)octyl]oxy]-2-pyridinyl]methyl]thio]methyl]), Searle SC-53228 (2H-1-Benzopyran-2-propanoic acid, 7-[3-[2-(cyclopropylmethyl)-3-methoxy-4-[(methylamino)carbonyl]phenoxy]propoxy]-3,4-dihydro-8-propyl-, (2S)), Sumitamo SM 15178 (β-Alanine, N-[[6-[(4-acetyl-2-ethyl-5-hydroxyphenoxy)methyl]-2-pyridinyl]carbonyl]-N-ethyl), and American Home Products WAY 121006 ([1,1'-Biphenyl]-4-acetic acid, 2-fluoro-4'-(2-quinolinylmethoxy)).

5. (withdrawn) The combination of Claim 4 wherein the selective leukotriene B₄ receptor antagonist is selected from Bayer Bay-x-1005 ~~((R)-α-~~ ((R)-α- Cyclopentyl-4-(2-quinolinylmethoxy)benzeneacetic acid), Ciba-Geigy CGS-25019C (Benzamide, 4-[[5-[4-(aminoiminomethyl)phenoxy]pentyl]oxy]-3-methoxy-N,N-bis(1-methylethyl)-, (2Z)-2-butenedioate), ebselen (1,2-Benzisoxaselenazol-3(2H)-one, 2-phenyl), Leo Denmark ETH-615 (Benzoic acid, 4-[[[(3-fluorophenyl)methyl][4-(2-quinolinylmethoxy)phenyl]amino]methyl]), Lilly LY-293111 (Benzoic acid, 2-[3-[3-[(5-ethyl-4'-fluoro-2-hydroxy[1,1'-biphenyl]-4-yl)oxy]propoxy]-2-propylphenoxy]), Ono ONO-4057 (Benzenepropanoic acid, 2-(4-carboxybutoxy)-6-[[[(5E)-6-(4-methoxyphenyl)-5-hexenyl]oxy]), and Terumo TMK-688 (Carbonic acid, 4-[5-[[2-[4-(diphenylmethoxy)-1-piperidinyl]ethyl]amino]-5-oxo-1,3-pentadienyl]-2-methoxyphenyl ethyl ester).

6. (previously amended) The combination of Claim 2 wherein A is selected from 5- or 6-member partially unsaturated heterocyclyl, 5- or 6-member unsaturated heterocyclyl, 9- or 10-member unsaturated condensed heterocyclyl, lower cycloalkenyl and phenyl; wherein R¹ is selected from 5- or 6-membered heterocyclyl, lower cycloalkyl, lower cycloalkenyl and aryl selected from phenyl, biphenyl and naphthyl, wherein R¹ is optionally substituted at a substitutable position with one or more radicals selected from lower alkyl, lower haloalkyl, cyano, carboxyl, lower alkoxy carbonyl, hydroxyl, lower hydroxyalkyl, lower haloalkoxy, amino, lower alkylamino, phenylamino, lower alkoxyalkyl, lower alkylsulfinyl, halo, lower alkoxy and lower alkylthio; wherein R² is methyl or amino; and wherein R³ is a radical selected from hydrido, oxo, cyano, carboxyl, lower alkoxy carbonyl, lower carboxyalkyl, lower cyanoalkyl, halo, lower alkyl, lower alkyloxy, lower cycloalkyl, phenyl, lower haloalkyl, 5- or 6-membered heterocyclyl, lower hydroxyalkyl, lower aralkyl, acyl, phenylcarbonyl, lower alkoxyalkyl, 5- or 6-membered heteroaryloxy, aminocarbonyl, lower alkylaminocarbonyl, lower alkylamino, lower aminoalkyl, lower alkylaminoalkyl, phenoxy, lower aralkoxy, and a pharmaceutically-acceptable salt thereof.

7. (previously amended) The combination of Claim 6 wherein A is selected from oxazolyl, isoxazolyl, thienyl, dihydrofuryl, furyl, pyrrolyl, pyrazolyl, thiazolyl, imidazolyl, isothiazolyl, benzofuryl, cyclopentenyl, cyclopentadienyl, phenyl, and pyridyl; wherein R¹ is selected from pyridyl optionally substituted at a substitutable position with one or more methyl radicals, and phenyl optionally substituted at a substitutable position with one or more radicals selected from methyl, ethyl, isopropyl, butyl, *tert*-butyl, isobutyl, pentyl, hexyl, cyano, fluoromethyl, difluoromethyl, trifluoromethyl, carboxyl, methoxycarbonyl, ethoxycarbonyl, hydroxymethyl, trifluoromethoxy, hydroxyl, amino, N-methylamino, N,N-dimethylamino, N-ethylamino, N,N-dipropylamino, N-butylamino, N-methyl-N-ethylamino, phenylamino, methoxymethyl, methylsulfinyl, fluoro, chloro, bromo, methoxy, ethoxy, propoxy, n-butoxy, pentoxy, and methylthio; wherein R² is methyl or amino; and wherein R³ is a radical selected from hydrido, oxo, cyano, carboxyl, methoxycarbonyl, ethoxycarbonyl, carboxypropyl, carboxymethyl, carboxyethyl, cyanomethyl, fluoro, chloro, bromo, methyl, ethyl, isopropyl, butyl, *tert*-butyl, isobutyl, pentyl, hexyl, difluoromethyl, trifluoromethyl, pentafluoroethyl, heptafluoropropyl, difluoroethyl, difluoropropyl, methoxy, ethoxy, propoxy, n-butoxy, pentoxy, cyclohexyl, phenyl, pyridyl, thienyl, thiazolyl, oxazolyl, furyl, pyrazinyl, hydroxylmethyl, hydroxylpropyl, benzyl, formyl, phenylcarbonyl, ethoxymethyl, furymethyloxy, aminocarbonyl, N-methylaminocarbonyl, N,N-dimethylaminocarbonyl, N,N-dimethylamino, N-ethylamino, N,N-dipropylamino, N-butylamino, N-methyl-N-ethylamino, aminomethyl, N,N-dimethylaminomethyl, N-methyl-N-ethylaminomethyl, benzyloxy, phenyloxy, and a pharmaceutically-acceptable salt thereof.

8. (currently amended) The combination of Claim 3 wherein the cyclooxygenase-2 selective inhibitor is selected from the group consisting of
~~4-[5-(4-chlorophenyl)-3-(trifluoromethyl)-1H-pyrazol-1-yl]benzenesulfonamide;~~
~~4-[5-(4-methylphenyl)-3-(trifluoromethyl)-1H-pyrazol-1-yl]benzenesulfonamide;~~
~~4-[5-(3-fluoro-4-methoxyphenyl)-3-(difluoromethyl)-1H-pyrazol-1-yl]benzenesulfonamide;~~

3-[1-[4-(methylsulfonyl)phenyl]-4-trifluoromethyl-1H-imidazol-2-yl]pyridine;
2-methyl-5-[1-[4-(methylsulfonyl)phenyl]-4-trifluoromethyl-1H-imidazol-2-yl]pyridine;
4-[2-(5-methylpyridin-3-yl)-4-(trifluoromethyl)-1H-imidazol-1-yl]benzenesulfonamide;
4-[5-methyl-3-phenylisoxazol-4-yl]benzenesulfonamide;
4-[5-hydroxymethyl-3-phenylisoxazol-4-yl]benzenesulfonamide;
[2-trifluoromethyl-5-(3,4-difluorophenyl)-4-oxazolyl]benzenesulfonamide;
4-[2-methyl-4-phenyl-5-oxazolyl]benzenesulfonamide;
4-[5-(3-fluoro-4-methoxyphenyl)-2-trifluoromethyl-4-oxazolyl]benzenesulfonamide;
3-[(3-Chloro-phenyl)-(4-methanesulfonyl-phenyl)-methylene]-dihydro-furan-2-one;
8-acetyl-3-(4-fluorophenyl)-2-(4-methylsulfonyl)phenyl-imidazo(1,2-a);
5,5-dimethyl-4-(4-methylsulfonyl)phenyl-3-phenyl-2-(5H)-furanone;
5-(4-fluorophenyl)-1-[4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)pyrazole;
4-(4-fluorophenyl)-5-[4-(methylsulfonyl)phenyl]-1-phenyl-3-(trifluoromethyl)pyrazole;
4-(5-(4-chlorophenyl)-3-(4-methoxyphenyl)-1H-pyrazol-1-yl)benzenesulfonamide;
4-(3,5-bis(4-methylphenyl)-1H-pyrazol-1-yl)benzenesulfonamide;
4-(5-(4-chlorophenyl)-3-phenyl-1H-pyrazol-1-yl)benzenesulfonamide;
4-(3,5-bis(4-methoxyphenyl)-1H-pyrazol-1-yl)benzenesulfonamide;
4-(5-(4-chlorophenyl)-3-(4-methylphenyl)-1H-pyrazol-1-yl)benzenesulfonamide;
4-(5-(4-chlorophenyl)-3-(4-nitrophenyl)-1H-pyrazol-1-yl)benzenesulfonamide;
4-(5-(4-chlorophenyl)-3-(5-chloro-2-thienyl)-1H-pyrazol-1-yl)benzenesulfonamide;
4-(4-chloro-3,5-diphenyl-1H-pyrazol-1-yl)benzenesulfonamide;
4-[5-(4-chlorophenyl)-3-(trifluoromethyl)-1H-pyrazol-1-yl]benzenesulfonamide;
4-[5-phenyl-3-(trifluoromethyl)-1H-pyrazol-1-yl]benzenesulfonamide;
4-[5-(4-fluorophenyl)-3-(trifluoromethyl)-1H-pyrazol-1-yl]benzenesulfonamide;
4-[5-(4-methoxyphenyl)-3-(trifluoromethyl)-1H-pyrazol-1-yl]benzenesulfonamide;
4-[5-(4-chlorophenyl)-3-(difluoromethyl)-1H-pyrazol-1-yl]benzenesulfonamide;
4-[5-(4-methylphenyl)-3-(trifluoromethyl)-1H-pyrazol-1-yl]benzenesulfonamide;
4-[4-chloro-5-(4-chlorophenyl)-3-(trifluoromethyl)-1H-pyrazol-1-yl]benzenesulfonamide;
4-[3-(difluoromethyl)-5-(4-methylphenyl)-1H-pyrazol-1-yl]benzenesulfonamide;

4-[3-(difluoromethyl)-5-phenyl-1H-pyrazol-1-yl]benzenesulfonamide;
4-[3-(difluoromethyl)-5-(4-methoxyphenyl)-1H-pyrazol-1-yl]benzenesulfonamide;
4-[3-cyano-5-(4-fluorophenyl)-1H-pyrazol-1-yl]benzenesulfonamide;
4-[3-(difluoromethyl)-5-(3-fluoro-4-methoxyphenyl)-1H-pyrazol-1-yl]benzenesulfonamide;
4-[5-(3-fluoro-4-methoxyphenyl)-3-(trifluoromethyl)-1H-pyrazol-1-yl]benzenesulfonamide;
4-[4-chloro-5-phenyl-1H-pyrazol-1-yl]benzenesulfonamide;
4-[5-(4-chlorophenyl)-3-(hydroxymethyl)-1H-pyrazol-1-yl]benzenesulfonamide;
4-[5-(4-(N,N-dimethylamino)phenyl)-3-(trifluoromethyl)-1H-pyrazol-1-yl]benzenesulfonamide;
5-(4-fluorophenyl)-6-[4-(methylsulfonyl)phenyl]spiro[2.4]hept-5-ene;
4-[6-(4-fluorophenyl)spiro[2.4]hept-5-en-5-yl]benzenesulfonamide;
6-(4-fluorophenyl)-7-[4-(methylsulfonyl)phenyl]spiro[3.4]oct-6-ene;
5-(3-chloro-4-methoxyphenyl)-6-[4-(methylsulfonyl)phenyl]spiro[2.4]hept-5-ene;
4-[6-(3-chloro-4-methoxyphenyl)spiro[2.4]hept-5-en-5-yl]benzenesulfonamide;
5-(3,5-dichloro-4-methoxyphenyl)-6-[4-(methylsulfonyl)phenyl]spiro[2.4]hept-5-ene;
5-(3-chloro-4-fluorophenyl)-6-[4-(methylsulfonyl)phenyl]spiro[2.4]hept-5-ene ;
4-[6-(3,4-dichlorophenyl)spiro[2.4]hept-5-en-5-yl]benzenesulfonamide;
2-(3-chloro-4-fluorophenyl)-4-(4-fluorophenyl)-5-(4-methylsulfonylphenyl)thiazole;
2-(2-chlorophenyl)-4-(4-fluorophenyl)-5-(4-methylsulfonylphenyl)thiazole;
5-(4-fluorophenyl)-4-(4-methylsulfonylphenyl)-2-methylthiazole;
4-(4-fluorophenyl)-5-(4-methylsulfonylphenyl)-2-trifluoromethylthiazole;
4-(4-fluorophenyl)-5-(4-methylsulfonylphenyl)-2-(2-thienyl)thiazole;
4-(4-fluorophenyl)-5-(4-methylsulfonylphenyl)-2-benzylaminothiazole;
4-(4-fluorophenyl)-5-(4-methylsulfonylphenyl)-2-(1-propylamino)thiazole;
2-[(3,5-dichlorophenoxy)methyl]-4-(4-fluorophenyl)-5-[4-(methylsulfonyl)phenyl]thiazole;
5-(4-fluorophenyl)-4-(4-methylsulfonylphenyl)-2-trifluoromethylthiazole;
1-methylsulfonyl-4-[1,1-dimethyl-4-(4-fluorophenyl)cyclopenta-2,4-dien-3-yl]benzene;

4-[4-(4-fluorophenyl)-1,1-dimethylcyclopenta-2,4-dien-3-yl]benzenesulfonamide;
5-(4-fluorophenyl)-6-[4-(methylsulfonyl)phenyl]spiro[2.4]hepta-4,6-diene;
4-[6-(4-fluorophenyl)spiro[2.4]hepta-4,6-dien-5-yl]benzenesulfonamide;
6-(4-fluorophenyl)-2-methoxy-5-[4-(methylsulfonyl)phenyl]-pyridine-3-carbonitrile;
2-bromo-6-(4-fluorophenyl)-5-[4-(methylsulfonyl)phenyl]-pyridine-3-carbonitrile;
6-(4-fluorophenyl)-5-[4-(methylsulfonyl)phenyl]-2-phenyl-pyridine-3-carbonitrile;
4-[2-(4-methylpyridin-2-yl)-4-(trifluoromethyl)-1H-imidazol-1-yl]benzenesulfonamide;
4-[2-(5-methylpyridin-3-yl)-4-(trifluoromethyl)-1H-imidazol-1-yl]benzenesulfonamide;
4-[2-(2-methylpyridin-3-yl)-4-(trifluoromethyl)-1H-imidazol-1-yl]benzenesulfonamide;
3-[1-[4-(methylsulfonyl)phenyl]-4-(trifluoromethyl)-1H-imidazol-2-yl]pyridine;
2-[1-[4-(methylsulfonyl)phenyl]-4-(trifluoromethyl)-1H-imidazol-2-yl]pyridine;
2-methyl-4-[1-[4-(methylsulfonyl)phenyl]-4-(trifluoromethyl)-1H-imidazol-2-yl]pyridine;
2-methyl-6-[1-[4-(methylsulfonyl)phenyl]-4-(trifluoromethyl)-1H-imidazol-2-yl]pyridine;
4-[2-(6-methylpyridin-3-yl)-4-(trifluoromethyl)-1H-imidazol-1-yl]benzenesulfonamide;
2-(3,4-difluorophenyl)-1-[4-(methylsulfonyl)phenyl]-4-(trifluoromethyl)-1H-imidazole;
4-[2-(4-methylphenyl)-4-(trifluoromethyl)-1H-imidazol-1-yl]benzenesulfonamide;
2-(4-chlorophenyl)-1-[4-(methylsulfonyl)phenyl]-4-methyl-1H-imidazole;
2-(4-chlorophenyl)-1-[4-(methylsulfonyl)phenyl]-4-phenyl-1H-imidazole;
2-(4-chlorophenyl)-4-(4-fluorophenyl)-1-[4-(methylsulfonyl)phenyl]-1H-imidazole;
2-(3-fluoro-4-methoxyphenyl)-1-[4-(methylsulfonyl)phenyl]-4-(trifluoromethyl)-1H-imidazole;
1-[4-(methylsulfonyl)phenyl]-2-phenyl-4-trifluoromethyl-1H-imidazole;
2-(4-methylphenyl)-1-[4-(methylsulfonyl)phenyl]-4-trifluoromethyl-1H-imidazole;
4-[2-(3-chloro-4-methylphenyl)-4-(trifluoromethyl)-1H-imidazol-1-yl]benzenesulfonamide;
2-(3-fluoro-5-methylphenyl)-1-[4-(methylsulfonyl)phenyl]-4-(trifluoromethyl)-1H-imidazole;
4-[2-(3-fluoro-5-methylphenyl)-4-(trifluoromethyl)-1H-imidazol-1-yl]benzenesulfonamide;
2-(3-methylphenyl)-1-[4-(methylsulfonyl)phenyl]-4-trifluoromethyl-1H-imidazole;


4-[2-(3-methylphenyl)-4-trifluoromethyl-1H-imidazol-1-yl]benzenesulfonamide;
1-[4-(methylsulfonyl)phenyl]-2-(3-chlorophenyl)-4-trifluoromethyl-1H-imidazole;
4-[2-(3-chlorophenyl)-4-trifluoromethyl-1H-imidazol-1-yl]benzenesulfonamide;
4-[2-phenyl-4-trifluoromethyl-1H-imidazol-1-yl]benzenesulfonamide;
4-[2-(4-methoxy-3-chlorophenyl)-4-trifluoromethyl-1H-imidazol-1-yl]benzenesulfonamide;
1-allyl-4-(4-fluorophenyl)-3-[4-(methylsulfonyl)phenyl]-5-(trifluoromethyl)-1H-pyrazole;
4-[1-ethyl-4-(4-fluorophenyl)-5-(trifluoromethyl)-1H-pyrazol-3-yl]benzenesulfonamide;
N-phenyl-[4-(4-fluorophenyl)-3-[4-(methylsulfonyl)phenyl]-5-(trifluoromethyl)-1H-pyrazol-1-yl]acetamide;
ethyl [4-(4-fluorophenyl)-3-[4-(methylsulfonyl)phenyl]-5-(trifluoromethyl)-1H-pyrazol-1-yl]acetate;
4-(4-fluorophenyl)-3-[4-(methylsulfonyl)phenyl]-1-(2-phenylethyl)-1H-pyrazole;
4-(4-fluorophenyl)-3-[4-(methylsulfonyl)phenyl]-1-(2-phenylethyl)-5-(trifluoromethyl)pyrazole;
1-ethyl-4-(4-fluorophenyl)-3-[4-(methylsulfonyl)phenyl]-5-(trifluoromethyl)-1H-pyrazole;
5-(4-fluorophenyl)-4-(4-methylsulfonylphenyl)-2-trifluoromethyl-1H-imidazole;
4-[4-(methylsulfonyl)phenyl]-5-(2-thiophenyl)-2-(trifluoromethyl)-1H-imidazole;
5-(4-fluorophenyl)-2-methoxy-4-[4-(methylsulfonyl)phenyl]-6-(trifluoromethyl)pyridine;
2-ethoxy-5-(4-fluorophenyl)-4-[4-(methylsulfonyl)phenyl]-6-(trifluoromethyl)pyridine;
5-(4-fluorophenyl)-4-[4-(methylsulfonyl)phenyl]-2-(2-propynyloxy)-6-(trifluoromethyl)pyridine;
2-bromo-5-(4-fluorophenyl)-4-[4-(methylsulfonyl)phenyl]-6-(trifluoromethyl)pyridine;
4-[2-(3-chloro-4-methoxyphenyl)-4,5-difluorophenyl]benzenesulfonamide;
1-(4-fluorophenyl)-2-[4-(methylsulfonyl)phenyl]benzene;
5-difluoromethyl-4-(4-methylsulfonylphenyl)-3-phenylisoxazole;
4-[3-ethyl-5-phenylisoxazol-4-yl]benzenesulfonamide;
4-[5-difluoromethyl-3-phenylisoxazol-4-yl]benzenesulfonamide;
4-[5-hydroxymethyl-3-phenylisoxazol-4-yl]benzenesulfonamide;

4-[5-methyl-3-phenyl-isoxazol-4-yl]benzenesulfonamide;
1-[2-(4-fluorophenyl)cyclopenten-1-yl]-4-(methylsulfonyl)benzene;
1-[2-(4-fluoro-2-methylphenyl)cyclopenten-1-yl]-4-(methylsulfonyl)benzene;
1-[2-(4-chlorophenyl)cyclopenten-1-yl]-4-(methylsulfonyl)benzene;
1-[2-(2,4-dichlorophenyl)cyclopenten-1-yl]-4-(methylsulfonyl)benzene;
1-[2-(4-trifluoromethylphenyl)cyclopenten-1-yl]-4-(methylsulfonyl)benzene;
1-[2-(4-methylthiophenyl)cyclopenten-1-yl]-4-(methylsulfonyl)benzene;
1-[2-(4-fluorophenyl)-4,4-dimethylcyclopenten-1-yl]-4-(methylsulfonyl)benzene;
4-[2-(4-fluorophenyl)-4,4-dimethylcyclopenten-1-yl]benzenesulfonamide;
1-[2-(4-chlorophenyl)-4,4-dimethylcyclopenten-1-yl]-4-(methylsulfonyl)benzene;
4-[2-(4-chlorophenyl)-4,4-dimethylcyclopenten-1-yl]benzenesulfonamide;
4-[2-(4-fluorophenyl)cyclopenten-1-yl]benzenesulfonamide;
4-[2-(4-chlorophenyl)cyclopenten-1-yl]benzenesulfonamide;
1-[2-(4-methoxyphenyl)cyclopenten-1-yl]-4-(methylsulfonyl)benzene;
1-[2-(2,3-difluorophenyl)cyclopenten-1-yl]-4-(methylsulfonyl)benzene;
4-[2-(3-fluoro-4-methoxyphenyl)cyclopenten-1-yl]benzenesulfonamide;
1-[2-(3-chloro-4-methoxyphenyl)cyclopenten-1-yl]-4-(methylsulfonyl)benzene;
4-[2-(3-chloro-4-fluorophenyl)cyclopenten-1-yl]benzenesulfonamide;
4-[2-(2-methylpyridin-5-yl)cyclopenten-1-yl]benzenesulfonamide;
ethyl 2-[4-(4-fluorophenyl)-5-[4-(methylsulfonyl)phenyl]oxazol-2-yl]-2-benzyl-acetate;
2-[4-(4-fluorophenyl)-5-[4-(methylsulfonyl)phenyl]oxazol-2-yl]acetic acid;
2-(*tert*-butyl)-4-(4-fluorophenyl)-5-[4-(methylsulfonyl)phenyl]oxazole;
4-(4-fluorophenyl)-5-[4-(methylsulfonyl)phenyl]-2-phenyloxazole;
4-(4-fluorophenyl)-2-methyl-5-[4-(methylsulfonyl)phenyl]oxazole;
4-[5-(3-fluoro-4-methoxyphenyl)-2-trifluoromethyl-4-oxazolyl]benzenesulfonamide;
6-chloro-7-(1,1-dimethylethyl)-2-trifluoromethyl-2H-1-benzopyran-3-carboxylic acid;
6-chloro-8-methyl-2-trifluoromethyl-2H-1-benzopyran-3-carboxylic acid;
5,5-dimethyl-3-(3-fluorophenyl)-4-methylsulfonyl-2(5H)-furanone;
6-chloro-2-trifluoromethyl-2H-1-benzothiopyran-3-carboxylic acid;

4-[5-(4-chlorophenyl)-3-(trifluoromethyl)-1H-pyrazol-1-yl]benzenesulfonamide;
4-[5-(4-methylphenyl)-3-(trifluoromethyl)-1H-pyrazol-1-yl]benzenesulfonamide;
4-[5-(3-fluoro-4-methoxyphenyl)-3-(difluoromethyl)-1H-pyrazol-1-yl]benzenesulfonamide;
3-[1-[4-(methylsulfonyl)phenyl]-4-trifluoromethyl-1H-imidazol-2-yl]pyridine;
2-methyl-5-[1-[4-(methylsulfonyl)phenyl]-4-trifluoromethyl-1H-imidazol-2-yl]pyridine;
4-[2-(5-methylpyridin-3-yl)-4-(trifluoromethyl)-1H-imidazol-1-yl]benzenesulfonamide;
4-[5-methyl-3-phenylisoxazol-4-yl]benzenesulfonamide;
4-[5-hydroxymethyl-3-phenylisoxazol-4-yl]benzenesulfonamide;
[2-trifluoromethyl-5-(3,4-difluorophenyl)-4-oxazolyl]benzenesulfonamide;
4-[2-methyl-4-phenyl-5-oxazolyl]benzenesulfonamide;
4-[5-(2-fluoro-4-methoxyphenyl)-2-trifluoromethyl-4-oxazolyl]benzenesulfonamide;
[2-(2-chloro-6-fluoro-phenylamino)-5-methyl-phenyl]-acetic acid;
N-(4-Nitro-2-phenoxy-phenyl)-methanesulfonamide or nimesulide;
N-[6-(2,4-difluoro-phenoxy)-1-oxo-indan-5-yl]-methanesulfonamide;
N-[6-(2,4-Difluoro-phenylsulfanyl)-1-oxo-1H-inden-5-yl]-methanesulfonamide, sodium salt;
N-[5-(4-fluoro-phenylsulfanyl)-thiophen-2-yl]-methanesulfonamide;
3-(3,4-Difluoro-phenoxy)-4-(4-methanesulfonyl-phenyl)-5-methyl-5-(2,2,2-trifluoro-ethyl)-5H-furan-2-one;
(5Z)-2-amino-5-[[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]methylene]-4(5H)-thiazolone;
N-[3-(formylamino)-4-oxo-6-phenoxy-4H-1-benzopyran-7-yl]-methanesulfonamide;
(6aR,10aR)-3-(1,1-dimethylheptyl)-6a,7,10,10a-tetrahydro-1-hydroxy-6,6-dimethyl-6H-dibenzo[b,d]pyran-9-carboxylic acid;
4-[[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]methylene]dihydro-2-methyl-2H-1,2-oxazin-3(4H)-one;
6-dioxo-9H-purin-8-yl-cinnamic acid;
4-[4-(methyl-sulfonyl)phenyl]-3-phenyl-2(5H)-furanone;

~~4-(5-methyl-3-phenyl-4-isoxazolyl);~~
~~2-(6-methylpyrid-3-yl)-3-(4-methylsulfonylphenyl)-5-chloropyridine;~~
~~4-[5-(4-methylphenyl)-3-(trifluoromethyl)-1H-pyrazol-1-yl];~~
~~N-[[4-(5-methyl-3-phenyl-4-isoxazolyl)phenyl]sulfonyl];~~
~~4-[5-(3-fluoro-4-methoxyphenyl)-3-difluoromethyl)-1H-pyrazol-1-yl]benzenesulfonamide;~~
~~(S)-6,8-dichloro-2-(trifluoromethyl)-2H-1-benzopyran-3-carboxylic acid;~~
~~2-(3,4-difluorophenyl)-4-(3-hydroxy-3-methylbutoxy)-5-[4-(methylsulfonyl)phenyl]-3(2H)-pyridazinone;~~
~~2-trifluoromethyl-3H-naphtho[2,1-b]pyran-3-carboxylic acid;~~
~~6-chloro-7-(1,1-dimethylethyl)-2-trifluoromethyl-2H-1-benzopyran-3-carboxylic acid; and~~
~~[2-(2,4-dichloro-6-ethyl-3,5-dimethyl-phenylamino)-5-propyl-phenyl]-acetic acid.~~

9. (previously amended) A pharmaceutical composition comprising a pharmaceutically-acceptable carrier and a selective leukotriene B₄ receptor antagonist and a cyclooxygenase-2 selective inhibitor selected from Taisho NS-398 (Methanesulfonamide, N-[2-(cyclohexyloxy)-4-nitrophenyl]), meloxicam (2H-1,2-Benzothiazine-3-carboxamide, 4-hydroxy-2-methyl-N-(5-methyl-2-thiazolyl)-, 1,1-dioxide), flosulide (Methanesulfonamide, N-[6-(2,4-difluorophenoxy)-2,3-dihydro-1-oxo-1H-inden-5-yl]), Merck MK-966 (2(5H)-Furanone, 4-[4-(methylsulfonyl)phenyl]-3-phenyl), Merck L-752,860 ~~and~~ compounds of Formula I



wherein A is a substituent selected from partially unsaturated or unsaturated heterocyclyl and partially unsaturated or unsaturated carbocyclic rings;

wherein R¹ is independently selected from the group consisting of heterocyclyl, cycloalkyl, cycloalkenyl and aryl, wherein R¹ is optionally substituted at a substitutable position with one or more radicals selected from alkyl, haloalkyl, cyano, carboxyl,

alkoxycarbonyl, hydroxyl, hydroxyalkyl, haloalkoxy, amino, alkylamino, arylamino, nitro, alkoxyalkyl, alkylsulfinyl, halo, alkoxy and alkylthio;

wherein R² is methyl or amino; and

wherein R³ is a radical selected from hydrido, halo, alkyl, alkenyl, alkynyl, oxo, cyano, carboxyl, cyanoalkyl, heterocycloxy, alkyloxy, alkylthio, alkylcarbonyl, cycloalkyl, aryl, haloalkyl, heterocyclyl, cycloalkenyl, aralkyl, heterocyclalkyl, acyl, alkylthioalkyl, hydroxyalkyl, alkoxycarbonyl, arylcarbonyl, aralkylcarbonyl, aralkenyl, alkoxyalkyl, arylthioalkyl, aryloxyalkyl, aralkylthioalkyl, aralkoxyalkyl, alkoxyaralkoxyalkyl, alkoxycarbonylalkyl, aminocarbonyl, aminocarbonylalkyl, alkylaminocarbonyl, N-arylaminocarbonyl, N-alkyl-N-arylaminocarbonyl, alkylaminocarbonylalkyl, carboxyalkyl, alkylamino, N-arylamino, N-aralkylamino, N-alkyl-N-aralkylamino, N-alkyl-N-arylamino, aminoalkyl, alkylaminoalkyl, N-arylaminalkyl, N-aralkylaminalkyl, N-alkyl-N-aralkylaminalkyl, N-alkyl-N-arylaminalkyl, aryloxy, aralkoxy, arylthio, aralkylthio, alkylsulfinyl, alkylsulfonyl, aminosulfonyl, alkylaminosulfonyl, N-arylaminosulfonyl, arylsulfonyl, N-alkyl-N-arylaminosulfonyl \pm

and ~~a~~ pharmaceutically-acceptable ~~salt thereof~~ salts of Formula I.

10. (new) A combination comprising a cyclooxygenase-2 selective inhibitor and a selective leukotriene B₄ receptor antagonist wherein the selective leukotriene B₄ receptor antagonist is selected from the group consisting of Bayer Bay-x-1005 ~~((R)-a-~~ ((R)- α - Cyclopentyl-4-(2-quinolinylmethoxy) benzene acetic acid), Ciba-Geigy CGS-25019C (Benzamide, 4-[[5-[4-(aminoiminomethyl)phenoxy]pentyl]oxy]-3-methoxy-N,N-bis(1-methylethyl)-, (2Z)-2-butenedioate), ebselen (1,2-Benzisoselenazol-3(2H)-one, 2-phenyl), Leo Denmark ETH-615 (Benzoic acid, 4-[[[(3-fluorophenyl)methyl][4-(2-quinolinylmethoxy)phenyl]amino]methyl]), Lilly LY-293111 (Benzoic acid, 2-[3-[3-[(5-ethyl-4'-fluoro-2-hydroxy[1,1'-biphenyl]-4-yl)oxy]propoxy]-2-propylphenoxy]), Ono ONO-4057 (Benzenepropanoic acid, 2-(4-carboxybutoxy)-6-[[[(5E)-6-(4-methoxyphenyl)-5-hexenyl]oxy]), Terumo TMK-688 (Carbonic acid, 4-[5-[[2-[4-(diphenylmethoxy)-1-piperidinyl]ethyl]amino]-5-oxo-1,3-pentadienyl]-2-methoxyphenyl ethyl ester),

Boehringer Ingelheim BI-RM-270 (2-Benzoxazoline, N-[(1S)-2-cyclohexyl-1-(2-pyridinyl)ethyl]-5-methyl), Lilly LY 213024 (Benzenepropanoic acid, 5-(3-carboxybenzoyl)-2-(decyloxy)), Lilly LY 264086 (9H-Xanthene-4-propanoic acid, 7-carboxy-3-(decyloxy)-9-oxo), Lilly LY 292728, Ono ONO LB457 (Benzenepropanoic acid, 2-(4-carboxybutoxy)-6-[[[(5E)-6-(4-methoxyphenyl)-5-hexenyl]oxy]), Pfizer 105696, Purdue Frederick PF 10042 (Pyrrolidine, 1-[5-hydroxy-5-[8-(1-hydroxy-2-phenylethyl)-2-dibenzofuranyl]-1-oxopentyl]), Rhone-Poulenc Rorer RP 66153 (2-Thiopheneheptanoic acid, α,α -dimethyl-3-(3-phenylpropyl)), SmithKline Beecham SB-201146 (2-Propenoic acid, 3-[6-[[[(3-aminophenyl)sulfinyl]methyl]-3-[[8-(4-methoxyphenyl)octyl]oxy]-2-pyridinyl]-, (2E)), SmithKline Beecham SB-201993 (Benzoic acid, 3-[[[6-[(1E)-2-carboxyethenyl]-5-[[8-(4-methoxyphenyl)octyl]oxy]-2-pyridinyl]methyl]thio]methyl]), Searle SC-53228 (2H-1-Benzopyran-2-propanoic acid, 7-[3-[2-(cyclopropylmethyl)-3-methoxy-4-[(methylamino)carbonyl]phenoxy]propoxy]-3,4-dihydro-8-propyl-, (2S)), Sumitomo SM 15178 (β -Alanine, N-[[6-[(4-acetyl-2-ethyl-5-hydroxyphenoxy)methyl]-2-pyridinyl]carbonyl]-N-ethyl), American Home Products WAY 121006 ([1,1'-Biphenyl]-4-acetic acid, 2-fluoro-4'-(2-quinolinylmethoxy)), Bayer Bay-o-8276, calcitriol (9,10-Secocholesta-5,7,10(19)-triene-1,3,25-triol, (1 α ,3 β ,5Z,7E)), Warner-Lambert CI-987 (2,4-Thiazolidinedione,5-[[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]methylene]), Merck and Co. L-651392 (3H-Phenothiazin-3-one, 4-bromo-2,7-dimethoxy), Lilly LY 210073, Lilly LY 223982 (Benzenepropanoic acid, 5-(3-carboxybenzoyl)-2-[[[(5E)-6-(4-methoxyphenyl)-5-hexenyl]oxy]), Lilly LY-233569 (2-Propenamide, -hydroxy-N-methyl-3-[2-(methylthio)phenyl]), Lilly LY-255283 (Ethanone, 1-[5-ethyl-2-hydroxy-4-[[6-methyl-6-(1H-tetrazol-5-yl)heptyl]oxy]phenyl]), Merck and Co. MK-591 (1H-Indole-2-propanoic acid, 1-[(4-chlorophenyl)methyl]-3-[(1,1-dimethylethyl)thio]- α,α -dimethyl-5-(2-quinolinylmethoxy)-, sodium salt), Ono ONO-LB-448, Purdue Frederick PF-5901 (Benzenemethanol, α -pentyl-3-(2-quinolinylmethoxy)), Rhone-Poulenc Rorer RG 14893 (2-Naphthalenecarboxylic acid, 4-[2-[methyl(2-phenylethyl)amino]-2-oxoethyl]-8-(phenylmethoxy)), Rhone-Poulenc Rorer RP 66364, Rhone-Poulenc Rorer RP 69698 (Pyridine, 2-[[5-methyl-5-(1H-tetrazol-5-yl)hexyl]oxy]-4,6-diphenyl), Searle SC-41930

(2H-1-Benzopyran-2-carboxylic acid, 7-[3-(4-acetyl-3-methoxy-2-propylphenoxy)propoxy]-3,4-dihydro-8-propyl), Searle SC-50505, Searle SC-51146, SmithKline Beecham SK&F-104493 (5H-Pyrrolo[1,2-a]imidazole, 6,7-dihydro-2-(4-methoxyphenyl)-3-(4-pyridinyl)), and Teinjin TEI-1338 (Benzoic acid, 2-[[4-[2-[2-(2-naphthalenyl)ethenyl]cyclopropyl]-1-oxobutyl]amino]-methylester[1R-[1 α ,2 β (E)]]); and

wherein the cyclooxygenase-2 selective inhibitor is selected from the group consisting of 5-(4-fluorophenyl)-1-[4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)pyrazole; 4-(4-fluorophenyl)-5-[4-(methylsulfonyl)phenyl]-1-phenyl-3-(trifluoromethyl)pyrazole; 4-(5-(4-chlorophenyl)-3-(4-methoxyphenyl)-1H-pyrazol-1-yl)benzenesulfonamide; 4-(3,5-bis(4-methylphenyl)-1H-pyrazol-1-yl)benzenesulfonamide; 4-(5-(4-chlorophenyl)-3-phenyl-1H-pyrazol-1-yl)benzenesulfonamide; 4-(3,5-bis(4-methoxyphenyl)-1H-pyrazol-1-yl)benzenesulfonamide; 4-(5-(4-chlorophenyl)-3-(4-methylphenyl)-1H-pyrazol-1-yl)benzenesulfonamide; 4-(5-(4-chlorophenyl)-3-(4-nitrophenyl)-1H-pyrazol-1-yl)benzenesulfonamide; 4-(5-(4-chlorophenyl)-3-(5-chloro-2-thienyl)-1H-pyrazol-1-yl)benzenesulfonamide; 4-(4-chloro-3,5-diphenyl-1H-pyrazol-1-yl)benzenesulfonamide; 4-[5-(4-chlorophenyl)-3-(trifluoromethyl)-1H-pyrazol-1-yl]benzenesulfonamide; 4-[5-phenyl-3-(trifluoromethyl)-1H-pyrazol-1-yl]benzenesulfonamide; 4-[5-(4-fluorophenyl)-3-(trifluoromethyl)-1H-pyrazol-1-yl]benzenesulfonamide; 4-[5-(4-methoxyphenyl)-3-(trifluoromethyl)-1H-pyrazol-1-yl]benzenesulfonamide; 4-[5-(4-chlorophenyl)-3-(difluoromethyl)-1H-pyrazol-1-yl]benzenesulfonamide; 4-[5-(4-methylphenyl)-3-(trifluoromethyl)-1H-pyrazol-1-yl]benzenesulfonamide; 4-[4-chloro-5-(4-chlorophenyl)-3-(trifluoromethyl)-1H-pyrazol-1-yl]benzenesulfonamide; 4-[3-(difluoromethyl)-5-(4-methylphenyl)-1H-pyrazol-1-yl]benzenesulfonamide; 4-[3-(difluoromethyl)-5-phenyl-1H-pyrazol-1-yl]benzenesulfonamide; 4-[3-(difluoromethyl)-5-(4-methoxyphenyl)-1H-pyrazol-1-yl]benzenesulfonamide; 4-[3-cyano-5-(4-fluorophenyl)-1H-pyrazol-1-yl]benzenesulfonamide; 4-[3-(difluoromethyl)-5-(3-fluoro-4-methoxyphenyl)-1H-pyrazol-1-yl]benzenesulfonamide;

4-[5-(3-fluoro-4-methoxyphenyl)-3-(trifluoromethyl)-1H-pyrazol-1-yl]benzenesulfonamide;
4-[4-chloro-5-phenyl-1H-pyrazol-1-yl]benzenesulfonamide;
4-[5-(4-chlorophenyl)-3-(hydroxymethyl)-1H-pyrazol-1-yl]benzenesulfonamide;
4-[5-(4-(N,N-dimethylamino)phenyl)-3-(trifluoromethyl)-1H-pyrazol-1-yl]benzenesulfonamide;
5-(4-fluorophenyl)-6-[4-(methylsulfonyl)phenyl]spiro[2.4]hept-5-ene;
4-[6-(4-fluorophenyl)spiro[2.4]hept-5-en-5-yl]benzenesulfonamide;
6-(4-fluorophenyl)-7-[4-(methylsulfonyl)phenyl]spiro[3.4]oct-6-ene;
5-(3-chloro-4-methoxyphenyl)-6-[4-(methylsulfonyl)phenyl]spiro[2.4]hept-5-ene;
4-[6-(3-chloro-4-methoxyphenyl)spiro[2.4]hept-5-en-5-yl]benzenesulfonamide;
5-(3,5-dichloro-4-methoxyphenyl)-6-[4-(methylsulfonyl)phenyl]spiro[2.4]hept-5-ene;
5-(3-chloro-4-fluorophenyl)-6-[4-(methylsulfonyl)phenyl]spiro[2.4]hept-5-ene ;
4-[6-(3,4-dichlorophenyl)spiro[2.4]hept-5-en-5-yl]benzenesulfonamide;
2-(3-chloro-4-fluorophenyl)-4-(4-fluorophenyl)-5-(4-methylsulfonylphenyl)thiazole;
2-(2-chlorophenyl)-4-(4-fluorophenyl)-5-(4-methylsulfonylphenyl)thiazole;
5-(4-fluorophenyl)-4-(4-methylsulfonylphenyl)-2-methylthiazole;
4-(4-fluorophenyl)-5-(4-methylsulfonylphenyl)-2-trifluoromethylthiazole;
4-(4-fluorophenyl)-5-(4-methylsulfonylphenyl)-2-(2-thienyl)thiazole;
4-(4-fluorophenyl)-5-(4-methylsulfonylphenyl)-2-benzylaminothiazole;
4-(4-fluorophenyl)-5-(4-methylsulfonylphenyl)-2-(1-propylamino)thiazole;
2-[(3,5-dichlorophenoxy)methyl]-4-(4-fluorophenyl)-5-[4-(methylsulfonyl)phenyl]thiazole;
5-(4-fluorophenyl)-4-(4-methylsulfonylphenyl)-2-trifluoromethylthiazole;
1-methylsulfonyl-4-[1,1-dimethyl-4-(4-fluorophenyl)cyclopenta-2,4-dien-3-yl]benzene;
4-[4-(4-fluorophenyl)-1,1-dimethylcyclopenta-2,4-dien-3-yl]benzenesulfonamide;
5-(4-fluorophenyl)-6-[4-(methylsulfonyl)phenyl]spiro[2.4]hepta-4,6-diene;
4-[6-(4-fluorophenyl)spiro[2.4]hepta-4,6-dien-5-yl]benzenesulfonamide;
6-(4-fluorophenyl)-2-methoxy-5-[4-(methylsulfonyl)phenyl]-pyridine-3-carbonitrile;
2-bromo-6-(4-fluorophenyl)-5-[4-(methylsulfonyl)phenyl]-pyridine-3-carbonitrile;

6-(4-fluorophenyl)-5-[4-(methylsulfonyl)phenyl]-2-phenyl-pyridine-3-carbonitrile;
4-[2-(4-methylpyridin-2-yl)-4-(trifluoromethyl)-1H-imidazol-1-yl]benzenesulfonamide;
4-[2-(5-methylpyridin-3-yl)-4-(trifluoromethyl)-1H-imidazol-1-yl]benzenesulfonamide;
4-[2-(2-methylpyridin-3-yl)-4-(trifluoromethyl)-1H-imidazol-1-yl]benzenesulfonamide;
3-[1-[4-(methylsulfonyl)phenyl]-4-(trifluoromethyl)-1H-imidazol-2-yl]pyridine;
2-[1-[4-(methylsulfonyl)phenyl]-4-(trifluoromethyl)-1H-imidazol-2-yl]pyridine;
2-methyl-4-[1-[4-(methylsulfonyl)phenyl]-4-(trifluoromethyl)-1H-imidazol-2-yl]pyridine;
2-methyl-6-[1-[4-(methylsulfonyl)phenyl]-4-(trifluoromethyl)-1H-imidazol-2-yl]pyridine;
4-[2-(6-methylpyridin-3-yl)-4-(trifluoromethyl)-1H-imidazol-1-yl]benzenesulfonamide;
2-(3,4-difluorophenyl)-1-[4-(methylsulfonyl)phenyl]-4-(trifluoromethyl)-1H-imidazole;
4-[2-(4-methylphenyl)-4-(trifluoromethyl)-1H-imidazol-1-yl]benzenesulfonamide;
2-(4-chlorophenyl)-1-[4-(methylsulfonyl)phenyl]-4-methyl-1H-imidazole;
2-(4-chlorophenyl)-1-[4-(methylsulfonyl)phenyl]-4-phenyl-1H-imidazole;
2-(4-chlorophenyl)-4-(4-fluorophenyl)-1-[4-(methylsulfonyl)phenyl]-1H-imidazole;
2-(3-fluoro-4-methoxyphenyl)-1-[4-(methylsulfonyl)phenyl]-4-(trifluoromethyl)-1H-imidazole;
1-[4-(methylsulfonyl)phenyl]-2-phenyl-4-trifluoromethyl-1H-imidazole;
2-(4-methylphenyl)-1-[4-(methylsulfonyl)phenyl]-4-trifluoromethyl-1H-imidazole;
4-[2-(3-chloro-4-methylphenyl)-4-(trifluoromethyl)-1H-imidazol-1-yl]benzenesulfonamide;
2-(3-fluoro-5-methylphenyl)-1-[4-(methylsulfonyl)phenyl]-4-(trifluoromethyl)-1H-imidazole;
4-[2-(3-fluoro-5-methylphenyl)-4-(trifluoromethyl)-1H-imidazol-1-yl]benzenesulfonamide;
2-(3-methylphenyl)-1-[4-(methylsulfonyl)phenyl]-4-trifluoromethyl-1H-imidazole;
4-[2-(3-methylphenyl)-4-trifluoromethyl-1H-imidazol-1-yl]benzenesulfonamide;
1-[4-(methylsulfonyl)phenyl]-2-(3-chlorophenyl)-4-trifluoromethyl-1H-imidazole;
4-[2-(3-chlorophenyl)-4-trifluoromethyl-1H-imidazol-1-yl]benzenesulfonamide;
4-[2-phenyl-4-trifluoromethyl-1H-imidazol-1-yl]benzenesulfonamide;

4-[2-(4-methoxy-3-chlorophenyl)-4-trifluoromethyl-1H-imidazol-1-yl]benzenesulfonamide;
1-allyl-4-(4-fluorophenyl)-3-[4-(methylsulfonyl)phenyl]-5-(trifluoromethyl)-1H-pyrazole;
4-[1-ethyl-4-(4-fluorophenyl)-5-(trifluoromethyl)-1H-pyrazol-3-yl]benzenesulfonamide;
N-phenyl-[4-(4-fluorophenyl)-3-[4-(methylsulfonyl)phenyl]-5-(trifluoromethyl)-1H-pyrazol-1-yl]acetamide;
ethyl [4-(4-fluorophenyl)-3-[4-(methylsulfonyl)phenyl]-5-(trifluoromethyl)-1H-pyrazol-1-yl]acetate;
4-(4-fluorophenyl)-3-[4-(methylsulfonyl)phenyl]-1-(2-phenylethyl)-1H-pyrazole;
4-(4-fluorophenyl)-3-[4-(methylsulfonyl)phenyl]-1-(2-phenylethyl)-5-(trifluoromethyl)pyrazole;
1-ethyl-4-(4-fluorophenyl)-3-[4-(methylsulfonyl)phenyl]-5-(trifluoromethyl)-1H-pyrazole;
5-(4-fluorophenyl)-4-(4-methylsulfonylphenyl)-2-trifluoromethyl-1H-imidazole;
4-[4-(methylsulfonyl)phenyl]-5-(2-thiophenyl)-2-(trifluoromethyl)-1H-imidazole;
5-(4-fluorophenyl)-2-methoxy-4-[4-(methylsulfonyl)phenyl]-6-(trifluoromethyl)pyridine;
2-ethoxy-5-(4-fluorophenyl)-4-[4-(methylsulfonyl)phenyl]-6-(trifluoromethyl)pyridine;
5-(4-fluorophenyl)-4-[4-(methylsulfonyl)phenyl]-2-(2-propynyloxy)-6-(trifluoromethyl)pyridine;
2-bromo-5-(4-fluorophenyl)-4-[4-(methylsulfonyl)phenyl]-6-(trifluoromethyl)pyridine;
4-[2-(3-chloro-4-methoxyphenyl)-4,5-difluorophenyl]benzenesulfonamide;
1-(4-fluorophenyl)-2-[4-(methylsulfonyl)phenyl]benzene;
5-difluoromethyl-4-(4-methylsulfonylphenyl)-3-phenylisoxazole;
4-[3-ethyl-5-phenylisoxazol-4-yl]benzenesulfonamide;
4-[5-difluoromethyl-3-phenylisoxazol-4-yl]benzenesulfonamide;
4-[5-hydroxymethyl-3-phenylisoxazol-4-yl]benzenesulfonamide;
4-[5-methyl-3-phenyl-isoxazol-4-yl]benzenesulfonamide;
1-[2-(4-fluorophenyl)cyclopenten-1-yl]-4-(methylsulfonyl)benzene;
1-[2-(4-fluoro-2-methylphenyl)cyclopenten-1-yl]-4-(methylsulfonyl)benzene;
1-[2-(4-chlorophenyl)cyclopenten-1-yl]-4-(methylsulfonyl)benzene;

1-[2-(2,4-dichlorophenyl)cyclopenten-1-yl]-4-(methylsulfonyl)benzene;
1-[2-(4-trifluoromethylphenyl)cyclopenten-1-yl]-4-(methylsulfonyl)benzene;
1-[2-(4-methylthiophenyl)cyclopenten-1-yl]-4-(methylsulfonyl)benzene;
1-[2-(4-fluorophenyl)-4,4-dimethylcyclopenten-1-yl]-4-(methylsulfonyl)benzene;
4-[2-(4-fluorophenyl)-4,4-dimethylcyclopenten-1-yl]benzenesulfonamide;
1-[2-(4-chlorophenyl)-4,4-dimethylcyclopenten-1-yl]-4-(methylsulfonyl)benzene;
4-[2-(4-chlorophenyl)-4,4-dimethylcyclopenten-1-yl]benzenesulfonamide;
4-[2-(4-fluorophenyl)cyclopenten-1-yl]benzenesulfonamide;
4-[2-(4-chlorophenyl)cyclopenten-1-yl]benzenesulfonamide;
1-[2-(4-methoxyphenyl)cyclopenten-1-yl]-4-(methylsulfonyl)benzene;
1-[2-(2,3-difluorophenyl)cyclopenten-1-yl]-4-(methylsulfonyl)benzene;
4-[2-(3-fluoro-4-methoxyphenyl)cyclopenten-1-yl]benzenesulfonamide;
1-[2-(3-chloro-4-methoxyphenyl)cyclopenten-1-yl]-4-(methylsulfonyl)benzene;
4-[2-(3-chloro-4-fluorophenyl)cyclopenten-1-yl]benzenesulfonamide;
4-[2-(2-methylpyridin-5-yl)cyclopenten-1-yl]benzenesulfonamide;
ethyl 2-[4-(4-fluorophenyl)-5-[4-(methylsulfonyl)phenyl]oxazol-2-yl]-2-benzyl-acetate;
2-[4-(4-fluorophenyl)-5-[4-(methylsulfonyl)phenyl]oxazol-2-yl]acetic acid;
2-(*tert*-butyl)-4-(4-fluorophenyl)-5-[4-(methylsulfonyl)phenyl]oxazole;
4-(4-fluorophenyl)-5-[4-(methylsulfonyl)phenyl]-2-phenyloxazole;
4-(4-fluorophenyl)-2-methyl-5-[4-(methylsulfonyl)phenyl]oxazole;
4-[5-(3-fluoro-4-methoxyphenyl)-2-trifluoromethyl-4-oxazolyl]benzenesulfonamide; and
7-[3-[2-(cyclopropylmethyl)-3-methoxy-4-[(methylamino)carbonyl]phenoxy]propoxy]-3,4-dihydro-8-propyl-2H-1-benzopyran-2-propanoic acid.

11. (new) A combination comprising a cyclooxygenase-2 selective inhibitor and a selective leukotriene B₄ receptor antagonist wherein the selective leukotriene B₄ receptor antagonist is selected from the group consisting of Bayer Bay-x-1005 ~~((R)-α-~~ ((R)-α- Cyclopentyl-4-(2-quinolinylmethoxy)benzeneacetic acid), Ciba-Geigy CGS-25019C (Benzamide, 4-[[5-[4-(aminoiminomethyl)phenoxy]pentyl]oxy]-3-methoxy-N,N-

bis(1-methylethyl)-, (2Z)-2-butenedioate), ebselen (1,2-Benzisoselenazol-3(2H)-one, 2-phenyl), Leo Denmark ETH-615 (Benzoic acid, 4-[[[(3-fluorophenyl)methyl][4-(2-quinolinylmethoxy)phenyl]amino]methyl]), Lilly LY-293111 (Benzoic acid, 2-[3-[3-[(5-ethyl-4'-fluoro-2-hydroxy[1,1'-biphenyl]-4-yl)oxy]propoxy]-2-propylphenoxy]), Ono ONO-4057 (Benzenepropanoic acid, 2-(4-carboxybutoxy)-6-[[[(5E)-6-(4-methoxyphenyl)-5-hexenyl]oxy]), Terumo TMK-688 (Carbonic acid, 4-[5-[[2-[4-(diphenylmethoxy)-1-piperidinyl]ethyl]amino]-5-oxo-1,3-pentadienyl]-2-methoxyphenyl ethyl ester), Boehringer Ingelheim BI-RM-270 (2-Benzoxazamine, N-[(1S)-2-cyclohexyl-1-(2-pyridinyl)ethyl]-5-methyl), Lilly LY 213024 (Benzenepropanoic acid, 5-(3-carboxybenzoyl)-2-(decyloxy)), Lilly LY 264086 (9H-Xanthene-4-propanoic acid, 7-carboxy-3-(decyloxy)-9-oxo), Lilly LY 292728, Ono ONO LB457 (Benzenepropanoic acid, 2-(4-carboxybutoxy)-6-[[[(5E)-6-(4-methoxyphenyl)-5-hexenyl]oxy]), Pfizer 105696, Perdue Frederick PF 10042 (Pyrrolidine, 1-[5-hydroxy-5-[8-(1-hydroxy-2-phenylethyl)-2-dibenzofuranyl]-1-oxopentyl]), Rhone-Poulenc Rorer RP 66153 (2-Thiopheneheptanoic acid, α,α -dimethyl-3-(3-phenylpropyl)), SmithKline Beecham SB-201146 (2-Propenoic acid, 3-[6-[[[(3-aminophenyl)sulfinyl]methyl]-3-[[8-(4-methoxyphenyl)octyl]oxy]-2-pyridinyl]-, (2E)), SmithKline Beecham SB-201993 (Benzoic acid, 3-[[[6-[(1E)-2-carboxyethenyl]-5-[[8-(4-methoxyphenyl)octyl]oxy]-2-pyridinyl]methyl]thio]methyl]), Searle SC-53228 (2H-1-Benzopyran-2-propanoic acid, 7-[3-[2-(cyclopropylmethyl)-3-methoxy-4-[(methylamino)carbonyl]phenoxy]propoxy]-3,4-dihydro-8-propyl-, (2S)), Sumitomo SM 15178 (β -Alanine, N-[[6-[(4-acetyl-2-ethyl-5-hydroxyphenoxy)methyl]-2-pyridinyl]carbonyl]-N-ethyl), and American Home Products WAY 121006 ([1,1'-Biphenyl]-4-acetic acid, 2-fluoro-4'-(2-quinolinylmethoxy)); and

wherein the cyclooxygenase-2 selective inhibitor is selected from the group consisting of 4-[5-(4-chlorophenyl)-3-(trifluoromethyl)-1H-pyrazol-1-yl]benzenesulfonamide;
4-[5-(4-methylphenyl)-3-(trifluoromethyl)-1H-pyrazol-1-yl]benzenesulfonamide;
4-[5-(3-fluoro-4-methoxyphenyl)-3-(difluoromethyl)-1H-pyrazol-1-yl]benzenesulfonamide;

3-[1-[4-(methylsulfonyl)phenyl]-4-trifluoromethyl-1H-imidazol-2-yl]pyridine;
2-methyl-5-[1-[4-(methylsulfonyl)phenyl]-4-trifluoromethyl-1H-imidazol-2-yl]pyridine;
4-[2-(5-methylpyridin-3-yl)-4-(trifluoromethyl)-1H-imidazol-1-yl]benzenesulfonamide;
4-[5-methyl-3-phenylisoxazol-4-yl]benzenesulfonamide;
4-[5-hydroxymethyl-3-phenylisoxazol-4-yl]benzenesulfonamide;
[2-trifluoromethyl-5-(3,4-difluorophenyl)-4-oxazolyl]benzenesulfonamide;
4-[2-methyl-4-phenyl-5-oxazolyl]benzenesulfonamide; and
4-[5-(3-fluoro-4-methoxyphenyl)-2-trifluoromethyl-4-oxazolyl]benzenesulfonamide.

12. (new) The combination of Claim 11 wherein the selective leukotriene B₄ receptor antagonist is selected from the group consisting of Bayer Bay-x-1005 ~~((R)-α-~~
((R)-α- Cyclopentyl-4-(2-quinolinylmethoxy)benzeneacetic acid), Ciba-Geigy CGS-25019C (Benzamide, 4-[[5-[4-(aminoiminomethyl)phenoxy]pentyl]oxy]-3-methoxy-N,N-bis(1-methylethyl)-, (2Z)-2-butenedioate), ebselen (1,2-Benzisoselenazol-3(2H)-one, 2-phenyl), Leo Denmark ETH-615 (Benzoic acid, 4-[[[(3-fluorophenyl)methyl][4-(2-quinolinylmethoxy)phenyl]amino]methyl]), Lilly LY-293111 (Benzoic acid, 2-[3-[3-[(5-ethyl-4'-fluoro-2-hydroxy[1,1'-biphenyl]-4-yl)oxy]propoxy]-2-propylphenoxy]), Ono ONO-4057 (Benzenepropanoic acid, 2-(4-carboxybutoxy)-6-[[[(5E)-6-(4-methoxyphenyl)-5-hexenyl]oxy]), and Terumo TMK-688 (Carbonic acid, 4-[5-[[2-[4-(diphenylmethoxy)-1-piperidinyl]ethyl]amino]-5-oxo-1,3-pentadienyl]-2-methoxyphenyl ethyl ester).

13. (new) The combination of Claim 11 wherein the cyclooxygenase-2 selective inhibitor is 4-[5-(4-methylphenyl)-3-(trifluoromethyl)-1H-pyrazol-1-yl]benzenesulfonamide or a pharmaceutically-acceptable salt thereof.

14. (new) The combination of Claim 11 wherein the cyclooxygenase-2 selective inhibitor is 4-[5-methyl-3-phenylisoxazol-4-yl]benzenesulfonamide or a pharmaceutically-acceptable salt thereof.

15. (new) The combination of Claim 11 wherein the cyclooxygenase-2 selective inhibitor is 4-[5-(3-fluoro-4-methoxyphenyl)-3-(difluoromethyl)-1H-pyrazol-1-yl] benzenesulfonamide or a pharmaceutically-acceptable salt thereof.

16, (new) The combination of claim 11 wherein the cyclooxygenase-2 selective inhibitor is 4-[5-(3-fluoro-4-methoxyphenyl)-3-(difluoromethyl)-1H-pyrazol-1-yl] benzenesulfonamide and wherein the selective leukotriene B₄ receptor antagonist is 7-[3-[2-(cyclopropylmethyl)-3-methoxy-4-[(methylamino)carbonyl]phenoxy]propoxy]-3,4-dihydro-8-propyl-2H-1-benzopyran-2-propanoic acid,

17. (new) A combination comprising a cyclooxygenase-2 selective inhibitor and a selective leukotriene B₄ receptor antagonist,

wherein the cyclooxygenase-2 selective inhibitor has a cyclooxygenase-2 IC₅₀ selectivity of less than about 0.5 μM, and a selectivity ratio of cyclooxygenase-2 inhibition over cyclooxygenase-1 inhibition of at least 50, and

wherein the selective leukotriene B₄ receptor antagonist has a leukotriene B₄ receptor IC₅₀ selectivity of less than about 10 μM.

18. (new) The combination of claim 17 wherein the cyclooxygenase-2 selective inhibitor has a selectivity ratio of cyclooxygenase-2 inhibition over cyclooxygenase-1 inhibition of at least 100, and

wherein the selective leukotriene B₄ receptor antagonist has a leukotriene B₄ receptor IC₅₀ selectivity of less than about 1 μM.